Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

specific topic.

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
NEWS
                 Web Page for STN Seminar Schedule - N. America
      2
NEWS
         JUL 02
                 LMEDLINE coverage updated
     3
NEWS
         JUL 02
                 SCISEARCH enhanced with complete author names
NEWS 4
         JUL 02 CHEMCATS accession numbers revised
NEWS 5
         JUL 02 CA/CAplus enhanced with utility model patents from China
NEWS 6
         JUL 16 CAplus enhanced with French and German abstracts
NEWS 7
         JUL 18
                 CA/CAplus patent coverage enhanced
NEWS 8
         JUL 26 USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS 9
         JUL 30
                 USGENE now available on STN
                 CAS REGISTRY enhanced with new experimental property tags
NEWS 10 AUG 06
NEWS 11 AUG 06
                 FSTA enhanced with new thesaurus edition
NEWS 12 AUG 13
                 CA/CAplus enhanced with additional kind codes for granted
                 patents
         AUG 20
NEWS 13
                 CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS 14
        AUG 27
                 Full-text patent databases enhanced with predefined
                 patent family display formats from INPADOCDB
         AUG 27
NEWS 15
                 USPATOLD now available on STN
                 CAS REGISTRY enhanced with additional experimental
NEWS 16
         AUG 28
                  spectral property data
NEWS 17
         SEP 07
                 STN AnaVist, Version 2.0, now available with Derwent
                 World Patents Index
NEWS 18
         SEP 13
                 FORIS renamed to SOFIS
NEWS 19
         SEP 13
                 INPADOCDB enhanced with monthly SDI frequency
NEWS 20
         SEP 17
                 CA/CAplus enhanced with printed CA page images from
                  1967-1998
NEWS 21
         SEP 17
                 CAplus coverage extended to include traditional medicine
                 patents
NEWS 22
         SEP 24
                 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 23
         OCT 02
                 CA/CAplus enhanced with pre-1907 records from Chemisches
                 Zentralblatt
NEWS 24
         OCT 19
                 BEILSTEIN updated with new compounds
NEWS 25
         NOV 15
                 Derwent Indian patent publication number format enhanced
NEWS 26 NOV 19
                 WPIX enhanced with XML display format
              19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
NEWS EXPRESS
              CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS
               STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
              Welcome Banner and News Items
NEWS IPC8
              For general information regarding STN implementation of IPC 8
Enter NEWS followed by the item number or name to see news on that
```

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 07:05:41 ON 26 NOV 2007

=> logoff hold

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

0.21 0.21

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 07:06:12 ON 26 NOV 2007

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

commands which can be used in this file.

LOGINID: SSSPTA1623PAZ

PASSWORD:

* * * * * RECONNECTED TO STN INTERNATIONAL * * * * * * SESSION RESUMED IN FILE 'HOME' AT 07:46:43 ON 26 NOV 2007 FILE 'HOME' ENTERED AT 07:46:43 ON 26 NOV 2007f

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

0.21 0.21

=> ile reg
THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Some commands only work in certain files. For example, the EXPAND
command can only be used to look at the index in a file which has an
index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL

FULL ESTIMATED COST

ENTRY SESSION 0.21 0.21

FILE 'REGISTRY' ENTERED AT 07:46:54 ON 26 NOV 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ${\tt ZIC/VINITI}$ data file provided by InfoChem.

STRUCTURE FILE UPDATES: 25 NOV 2007 HIGHEST RN 955919-54-7 DICTIONARY FILE UPDATES: 25 NOV 2007 HIGHEST RN 955919-54-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>

Uploading C:\Documents and Settings\PZucker\My Documents\Examination Auxillary files\10587395\10587395 clml genus.str

chain nodes:
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 23
chain bonds:
1-2 1-6 1-13 2-3 3-4 3-5 6-7 7-8 8-9 9-10 10-11 11-12 12-23 13-14
14-15 15-16 16-17 17-18
exact/norm bonds:
3-4 3-5
exact bonds:
1-2 1-6 1-13 2-3 6-7 7-8 8-9 9-10 10-11 11-12 12-23 13-14 14-15 15-16
16-17 17-18

G1:H,O

Hydrogen count :

1:>= minimum 1 2:>= minimum 2 6:>= minimum 2 7:>= minimum 2 8:>= minimum 2 9:>= minimum 2 10:>= minimum 2 11:>= minimum 2 12:>= minimum 2 13:>= minimum 2 14:>= minimum 2 15:>= minimum 2 16:>= minimum 2 17:>= minimum 2 18:>= minimum 3 23:>= minimum 3

Match level:

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 23:CLASS

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR

G1 H,O

Structure attributes must be viewed using STN Express query preparation.

=> search 11 sss sam

SAMPLE SEARCH INITIATED 07:47:25 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 50654 TO ITERATE

3.9% PROCESSED 2000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED) SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

999650 TO 1026510

PROJECTED ANSWERS:

0 TO 0

L2 0 SEA SSS SAM L1

=> search ll sss full FULL SEARCH INITIATED 07:48:31 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 1007156 TO ITERATE

99.3% PROCESSED 1000000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED) SEARCH TIME: 00.00.06

213 ANSWERS

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 1007156 TO 1007156 PROJECTED ANSWERS: 213 TO 257

L3 213 SEA SSS FUL L1

=> d scan

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-decylpentadecanoate), [2(R),3(S)]- (9CI)
MF C62 H127 N O9 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):20

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-nonylpentadecanoate), [2(R),3(S)]- (9CI)

MF C44 H86 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
- IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-nonylpentadecanoate),

[2(R),3(R)]- (9CI) MF C73 H134 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-nonylheneicosanoate) (9CI)

MF C62 H106 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Nonadecanoic acid, 3-undecyl-

MF C30 H60 O2

$$(CH_2)_{10}-Me$$

 $|$
 $Me-(CH_2)_{15}-CH-CH_2-CO_2H$

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Pentadecanoic acid, 3-decyl-

MF C25 H50 O2

$$(CH_2)_9 - Me$$

 $|$
 $Me - (CH_2)_{11} - CH - CH_2 - CO_2H$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-undecylnonadecanoate), [2(R),3(S)]- (9CI)
MF C62 H106 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-4,6-O-(1-methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylnonadecanoate), [2(R),3(R)]- (9CI)

MF C64 H127 N O9 Si2

Me (CH₂) 10 Me (CH₂) 15
$$\frac{10}{10}$$
 $\frac{1}{10}$ $\frac{$

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylnonadecanoate), [2(R),3(R)]- (9CI)

MF C61 H123 N 09 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-nonylheptadecanoate) (9CI)

MF C75 H138 N O12 P Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylheptadecanoate)

MF C48 H94 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN IN Undecanoic acid, 3-octyl-, 2-octyldecyl ester MF C37 H74 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-undecylpentadecanoate), [2(R),3(S)]- (9CI)
MF C75 H138 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylpentadecanoate), [2(R),3(R)]- (9CI)

MF C46 H90 N O11 P

Absolute stereochemistry.

Me
$$(CH_2)_{11}$$
 $(CH_2)_{10}$
 $(CH_2)_{10}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-4,6-O-(1-methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecy l]amino]-, 3-(3-nonylpentadecanoate), [2(R),3(S)]- (9CI)
MF C58 H115 N O9 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)diphenylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylpentadecanoate)
MF C71 H129 N O9 Si3

Absolute stereochemistry.

Me
$$^{(CH_2)}_{10}$$
 $^{(CH_2)}_{10}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$ $^{(CH_2)}_{11}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Heptadecanoic acid, 3-tetradecyl-

MF C31 H62 O2

$$(CH_2)_{13}-Me$$

 $|$
 $Me-(CH_2)_{13}-CH-CH_2-CO_2H$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN α -D-Glucopyranose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylheptadecanoate)

MF C48 H94 N O11 P

Absolute stereochemistry.

Me (CH₂)
$$10$$
 (CH₂) 13 Me OPO₃H₂ (CH₂) 13 Me

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylnonadecanoate), [2(R),3(S)]- (9CI)
MF C65 H133 N O9 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl
phosphate) 3-(3-undecylpentadecanoate), [2(R),3(R)]- (9CI)

MF C58 H98 N O11 P

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucitol, 1,5-anhydro-2-deoxy-6-O-[(1,1-dimethylethyl)diphenylsilyl]-2[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-,
3-(3-undecylheptadecanoate) (9CI)

MF C70 H125 N O8 Si2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):30

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-4,6-O-(1-methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylheneicosanoate)

MF C66 H131 N O9 Si2

$$\begin{array}{c} \text{Me} \\ \text{(CH2)}10 \\ \text{Me} \\ \text{(CH2)}17 \\ \text{Me} \\ \text{(CH2)}10 \\ \text{Me} \\ \text{N.} \\ \text{R} \\ \text{R} \\ \text{S} \\ \text{Me} \\ \text{Me} \\ \text{Me} \\ \text{Me} \\ \text{SI} \\ \text{Me} \\ \text{M$$

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Dodecanoic acid, 3-hexyl-, ethyl ester (8CI)

MF C20 H40 O2

$$\begin{array}{c} \text{O} \\ || \\ \text{CH}_2\text{--}\text{C}\text{--}\text{OEt} \\ | \\ \text{Me---} (\text{CH}_2)_{\,5}\text{---}\text{CH----} (\text{CH}_2)_{\,8}\text{---}\text{Me} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-undecylpentadecanoate), [2(R),3(S)]- (9CI)
MF C63 H129 N O9 Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-nonylpentadecanoate), [2(R),3(S)]- (9CI)
MF C55 H111 N O9 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-nonylheptadecanoate), [2(R),3(R)]- (9CI)

MF C75 H138 N O12 P Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-undecylpentadecanoate) (9CI)

MF C58 H98 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Heneicosanoic acid, 3-undecyl-

MF C32 H64 O2

$$(CH_2)_{10}-Me$$

|
Me- (CH₂)₁₇-CH-CH₂-CO₂H

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Pentadecanoic acid, 3-decyl-, methyl ester
MF C26 H52 O2

$$\begin{array}{c} \begin{array}{c} \text{.O} \\ \parallel \\ \text{CH}_2-\text{C-OMe} \\ \mid \\ \text{Me-(CH}_2)_9-\text{CH-(CH}_2)_{11}-\text{Me} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-undecylheneicosanoate), [2(R),3(S)]- (9CI)

MF C64 H110 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-4,6-O-(1methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecy
l]amino]-, 3-(3-undecylheneicosanoate), [2(R),3(R)]- (9CI)

MF C66 H131 N 09 Si2

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylheneicosanoate), [2(R),3(R)]- (9CI)

MF C63 H127 N O9 Si2

Ť.,

Absolute stereochemistry.

Me
$$(CH_2)_{10}_{R}$$
 $(CH_2)_{10}_{R}$ $(CH_2)_{10}_{R}$ $(CH_2)_{10}_{R}$ $(CH_2)_{10}_{R}$ $(CH_2)_{10}_{R}$ $(CH_2)_{10}_{R}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-nonylnonadecanoate) (9CI)

MF C77 H142 N O12 P Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylnonadecanoate)

MF C50 H98 N O11 P

١,

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Octadecanoic acid, 3-pentadecyl-, 2-pentadecylheptadecyl ester

MF C65 H130 O2

$$\begin{array}{c|c} & \text{O} & \text{(CH}_2)_{14}\text{-Me} \\ & \text{||} & \text{|} \\ & \text{CH}_2\text{-O-C-CH}_2\text{-CH-(CH}_2)_{14}\text{-Me} \\ & \text{|} \\ & \text{Me-(CH}_2)_{14}\text{-CH-(CH}_2)_{14}\text{-Me} \\ \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-undecylnonadecanoate), [2(R),3(S)]- (9CI)
MF C79 H146 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylheptadecanoate), [2(R),3(R)]- (9CI)
MF C48 H94 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-undecylheptadecanoate), [2(R),3(S)]- (9CI)

MF C77 H142 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylheptadecanoate)
MF C63 H129 N O9 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Eicosanoic acid, 3-heptadecyl-

MF C37 H74 O2

CI COM

$$\begin{array}{c} \text{(CH}_2)_{\,16}\text{--Me} \\ | \\ \text{Me--(CH}_2)_{\,16}\text{---CH---CH}_2\text{---CO}_2\text{H} \end{array}$$

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucitol, 1,5-anhydro-2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-,
 cyclic 4,6-(hydrogen phosphate) 3-(3-undecylheptadecanoate), [2(R),3(R)] (9CI)

MF C48 H92 N O9 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylheneicosanoate), [2(R),3(S)]- (9CI)
MF C67 H137 N O9 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-undecylheptadecanoate), [2(R),3(R)]- (9CI)

MF C60 H102 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

MF C48 H92 N O9 P

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

MF C54 H107 N O8 Si

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN IN Undecanoic acid, 3-heptyl-, ethyl ester (8CI) MF C20 H40 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN D-Glucitol, 1,5-anhydro-2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-,
 4-(dihydrogen phosphate) 6-(4-methyl-γ-oxo-1-piperazinebutanoate)
 3-[3-undecylheptadecanoate] (9CI)
MF C57 H108 N3 O12 P

PAGE 1-B

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-nonylheptadecanoate), [2(R),3(S)]- (9CI)

MF C57 H115 N O9 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-nonylnonadecanoate), [2(R),3(R)]- (9CI)
MF C77 H142 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl
phosphate) 3-(3-undecylheptadecanoate) (9CI)

MF C60 H102 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucitol, 1,5-anhydro-2-deoxy-4,6-O-(1-methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylheptadecanoate) (9CI)

MF C57 H111 N O8 Si

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):20

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Decanoic acid, 3-heptyl-

MF C17 H34 O2

$$(CH_2)_{6}$$
-Me | Me- $(CH_2)_{6}$ -CH- CH_2 - CO_2 H

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-nonylheptadecanoate), [2(R),3(S)]- (9CI)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
- IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-4,6-O-(1-methylethylidene)-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-nonylheptadecanoate), [2(R),3(S)]- (9CI) MF C60 H119 N O9 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
- IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylheptadecanoate), [2(R),3(R)]- (9CI)
 MF C63 H129 N O9 Si3

- L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
- MF C79 H146 N O12 P Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
- IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylheneicosanoate)
- MF C52 H102 N O11 P

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Eicosanedioic acid, 8,13-dimethyl-, bis[2-[(3-octyl-1-oxoundecyl)oxy]-3-[(1-oxo-2-propenyl)oxy]propyl] ester (9CI)

MF C72 H130 O12

CI COM

PAGE 1-B

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 4-(diphenyl phosphate) 3-(3-undecylheneicosanoate), [2(R),3(S)]- (9CI)

MF C81 H150 N O12 P Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(dihydrogen phosphate) 3-(3-undecylnonadecanoate), [2(R),3(R)]- (9CI)
MF C50 H98 N O11 P

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylpentadecanoate), [2(R),3(S)]- (9CI)
MF C61 H125 N O9 Si3

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-0-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methox y]tetradecyl]amino]-, 3-(3-nonylnonadecanoate)
MF C65 H133 N O9 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN IN Eicosanoic acid, 3-heptadecyl-, ethyl ester

MF C39 H78 O2

$$_{\rm CH_2-C-OEt}^{\rm O}$$
 $_{\rm Me-(CH_2)_{16}-CH-(CH_2)_{16}-Me}^{\rm O}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Undecanoic acid, 3-heptyl-, 2,2-diethyl-1,3-propanediyl ester (9CI)

MF C43 H84 O4

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β-D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-6-O-[(1,1-dimethylethyl)dimethylsilyl]-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-undecylheptadecanoate), [2(R),3(S)]- (9CI)

MF C65 H133 N 09 Si3

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, 4-(diphenyl phosphate) 3-(3-undecylnonadecanoate), [2(R),3(R)]- (9CI)

MF C62 H106 N O11 P

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN D-Glucose, 2-deoxy-2-[(3-hydroxy-1-oxotetradecyl)amino]-, cyclic 4,6-(hydrogen phosphate) 3-(3-undecylheptadecanoate) (9CI)

MF C48 H92 N O10 P

Absolute stereochemistry.

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-nonylpentadecanoate)

MF C55 H111 N O9 Si2

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN IN Dodecanoic acid, 3-heptyl-, methyl ester (9CI) MF C20 H40 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN D-Glucitol, 1,5-anhydro-2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 6-(4-methyl-γ-oxo-1-piperazinebutanoate) 3-(3-undecylheptadecanoate) (9CI)
MF C63 H121 N3 O10 Si

L3 213 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN β -D-Glucopyranoside, 2-(trimethylsilyl)ethyl 2-deoxy-2-[[1-oxo-3-[[2-(trimethylsilyl)ethoxy]methoxy]tetradecyl]amino]-, 3-(3-nonylnonadecanoate), [2(R),3(S)]- (9CI)

MF C59 H119 N O9 Si2

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> save temp 13 hetguerbraw/a
ANSWER SET L3 HAS BEEN SAVED AS 'HETGUERBRAW/A'

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 175.25 175.46

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 07:51:29 ON 26 NOV 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the

American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Nov 2007 VOL 147 ISS 23 FILE LAST UPDATED: 25 Nov 2007 (20071125/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> 13

L4 45 L3

=> save temp 14 hetguerbrefs/a ANSWER SET L4 HAS BEEN SAVED AS 'HETGUERBREFS/A'

- => d 14 35-45 ti
- L4 ANSWER 35 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI The synthesis and Langmuir-Blodgett film formation of branched fatty acids with two long alkyl chains
- L4 ANSWER 36 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Muramyl dipeptides and their use as immunoregulators
- L4 ANSWER 37 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Functionalization of polyolefins: structure of functional groups in polyethylene reacted with ethyl diazoacetate
- L4 ANSWER 38 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Hydrocarboxylation of single crosslinked α -olefins
- L4 ANSWER 39 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI New pathways in branched acids, isomers of normal saturated fatty acids
- L4 ANSWER 40 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Aliphatic esters
- L4 ANSWER 41 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Monolayers of branched-chain fatty acids. I
- L4 ANSWER 42 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Antibacterial action of fatty acids. III. A series of some symmetrical branched-chain fatty acids
- L4 ANSWER 43 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Antibacterial action of fatty acids. VII. Mechanism of antibacterial action of branched-chain fatty acids
- L4 ANSWER 44 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Antibacterial action of fatty acids. VI. Antibacterial action of fatty acids with terpenyl or phenyl group in $\alpha-$ and $\beta-$ position
- L4 ANSWER 45 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
- TI Long-chain acids containing a quaternary C atom. II
- => d 14 39-41, 45 ti fbib abs
- L4 ANSWER 39 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN

```
TI
     New pathways in branched acids, isomers of normal saturated fatty acids
AN
     1978:6287 CAPLUS
     88:6287
DN
OREF 88:1061a,1064a
    New pathways in branched acids, isomers of normal saturated fatty acids
     Ucciani, E.; Bensimon, Y.; Ranguis, P.
     Lab. Chim. Org. Appl., Univ. Aix-Marseille III, Marseille, Fr.
CS
     Actes Congr. Mond. - Soc. Int. Etude Corps Gras, 13th (1976), Volume Sect.
SO
     C, 43-50. Editor(s): Naudet, M.; Ucciani, M.; Uzzan, A. Publisher: ITERG,
     Paris, Fr.
     CODEN: 36NUA6
DT
     Conference
LA
     French
AB
     Ion-exchange catalyzed condensation of aldehydes Me(CH2)nCH2CHO (n = 1-9)
     gave 55-88% Me(CH2)nCH2CH:C(CHO)(CH2)nMe (I), which can be converted into
     \alpha-, \beta-, or \gamma-branched acids via hydrogenation and oxidation,
     cyanation, or Wittig reactions. Thus, hydrogenation of I (n = 6) over
     Co2(CO)8 and then catalytic oxidation gave 60% Me(CH2)8CH(CO2H)(CH2)6Me.
L4
    ANSWER 40 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
TI
    Aliphatic esters
AN
    1969:523600 CAPLUS
DN
    71:123600
TI
    Aliphatic esters
IN
    Wood, John; Forbes, Alan D.
PA
     British Petroleum Co. Ltd.
     S. African, 11 pp.
SO
     CODEN: SFXXAB
DT
     Patent
LΑ
     Russian
FAN.CNT 1
     PATENT NO.
                   KIND DATE APPLICATION NO. DATE
                               -----
ΡI
     ZA 6805204
                               19690120
                                            ZA
                                            GB
                                                                   19670817
     DE 1793209
                                            DE
     FR 1576240
                                            FR
     GB 1239394
                                            GB
AB
    The title compds., obtained from N2CH2CO2Et (I) and hexadecane (II) or
    docosane, are described. For example, 2.55 g. I was added to 24 g. II
     over 5 hrs. at 20° and irradiated in a medium-pressure Hg-arc
     reactor 16 hrs. to give an ester mixture containing 12.2% Et stearate, 17.1% Et
     3-methylheptadecanoate, 13.4% Et 3-ethylhexadecanoate, 12.2% Et
     3-propylpentadecanoate, 11.5% Et 3-butyltetradecanoate, and 33.6% Et
     3-pentyltridecanoate-Et 3-hexyldodecanoate-Et 3-heptylundecanoate. An
     analogous mixture was prepared from docosane.
L4
    ANSWER 41 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
```

- TI Monolayers of branched-chain fatty acids. I
- AN 1953:30942 CAPLUS
- 47:30942
- OREF 47:5213g-i,5214a
- ΤI Monolayers of branched-chain fatty acids. I
- AU Izawa, Masami
- CS Natl. Inst. Health, Tokyo
- SO Bulletin of the Chemical Society of Japan (1952), 25, 182-7 CODEN: BCSJA8; ISSN: 0009-2673
- DT Journal
- LA Unavailable
- Force-area curves were determined with the Langmuir-Adam type of surface AB balance for several fatty acids with branched chains. Study of monolayer behavior of these compds. was expected to contribute to an understanding of the bactericidal action, though this was not realized. Plots are

presented of surface pressure vs. area for the following acids: methylundecyldodecylacetic, ethyldecyldodecylacetic, phthioic, 3-methylpalmitic, 3-methyl-3-ethyltridecanoic, 3-methyl-3-ethylpentadecanoic, 2-heptylnonanoic, 3-heptyldecanoic, 4-heptylundecanoic, 2-ethyltridecanoic, 2-ethylpalmitic, 2-ethylstearic, 2-ethylarachidic, 2-methylmyristic, 2-propylmyristic, and 2-ethylpalmitic. The values of F0 and a0 in the Langmuir equation for liquid-expanded films were calculated from the curves. A definite correlation is shown between these consts. and the structure of the mols. in the films. The work indicates that phthioic acid is not of the trialkylacetic acid type as postulated by Stenhagen (C.A. 35, 5371.6) and Robinson (C.A. 34, 5103.1).

```
L4
     ANSWER 45 OF 45 CAPLUS COPYRIGHT 2007 ACS on STN
     Long-chain acids containing a quaternary C atom. II
ΤI
AN
     1944:10045 CAPLUS
DN
     38:10045
OREF 38:1469a-g
TI
     Long-chain acids containing a quaternary C atom. II
     Polgar, N.; Robinson, Robert
ΑU
SO
     Journal of the Chemical Society (1943) 615-19
     CODEN: JCSOA9; ISSN: 0368-1769
```

DT Journal

LA Unavailable

AB cf. C. A. 37, 603.3. The provisional formulation of phthioic acid as ethyldecyldodecylacetic acid (I) (Stenhagen and Stallberg, C. A. 35, 5371.6) has been proved incorrect by the synthesis of I. It is believed that the chain must be longer than thought possible from the x-ray evidence. It seems that any structure with 2 long chains of comparable length will be found inconsistent with the small area of the compressed films of phthioic acid. There is probably only 1 long chain and the smaller apparent length is caused by considerable tilting of the mols. Me decyldodecylacetate (b0.25 198-200°; 21 g.) in 450 cc. ether containing Ph3CNa (from 21 g. Ph3CCl) in a N atmospheric, treated with 30 mg. MeI for 20

h.,
gives 16 g. of a yellow oil, b0.2 196-200°; hydrolysis with 25%
EtOH-KOH, formation of the Pb salt, treatment with dilute HNO3, conversion
into the amide and crystallization from MeOH or Me2CO, give 8 g. of the more
soluble

amide, m. 42°, of methyldecyldodecylacetic acid (II), m. 41° (after 8 mo, 44.5°); the acid did not yield crystalline salts with quinine, cinchonine, strychnine or brucine. Similarly EtI yields I, m. 27-8° (after some weeks, 31°); the amide is a viscous oil. Heptyltetradecylacetic acid, m. 42°; the Me ester, reacted with Ph3CNa and MeI, gives methylheptyltetradecylacetic acid, m. 44°; amide, m. 30-1°. The same method converts (C7H15)2CHCO2Me into methyldiheptylacetic acid, b0.2 171-1.5°; amide, b0.2 $181-2^{\circ}$. C9H19Ac (25 g.) and C12H25MgBr give 21 g. of methylnonyldodecylcarbinol, b0.2 200-4°. Et sec-hendecylmalonate (b18 180-2°, 70% yield) yields 50% of Et sechendecyldodecylmalonate, b0.16 210-12°; hydrolysis and decarboxylation give β -methyl- α -dodecyllauric acid (III), b0.3 228-30°, m. 67°; amide, m. 102-3°. Decyldodecylacetic acid, through the diazo ketone, yields $\beta\text{-decyl-}\beta\text{-dodecyl-propionic}$ acid, solidifies at 0°, m. at room temperature but at 26.5° after several weeks; Me ester, b0.25 212-14°; amide, m. 55°. III (5 g.) through the diazo ketone gives 3 g. of 4-methyl-3-dodecyltridecanoic acid, b0.1 209-10°; the amide is liquid Similarly II yields β -methyl- β -decyl- β dodecyl-propionic acid, a viscous oil; Me ester, b0.2 196-7°; the amide is liquid (C10H21)2CO (40 g.), 14 g. Zn, 28.5 g. BrCH2CO2Et, 75 cc. ether and 75 cc. C6H6, heated 6 h. on the water bath, give 36 g. of Et 3-decyl-2-tridecenoate, b0.4 192-6°, n19D 1.4600; catalytic reduction gives 29.5 g. of Et 3-decyltridecanoate, b0.2 179-81°, n19D 1.4539;

reduction of this ester with 35 g. Na in 160 cc. BuOH and 260 cc. petr. ether gives 7 g. of acid and 8 g. of 3-decyl-1-tridecanol, b0.15 163-5°, n21D 1.4608. The iodide and CHNa(CO2Et)2 give 6 g. of Et (3-decyltridecyl) malonate, b0.45 221-4°, n22D 1.4540; this yields 2.4 g. of 2-methyl-5-decyl-pentadecanoic acid, viscous oil, n23D 1.4579; monolayer films of this acid could not be compressed without collapse below an area of about 64 sq. A.

=> logoff hold COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 20.70 196.16 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -3.12-3.12

SESSION WILL BE HELD FOR 120 MINUTES STN INTERNATIONAL SESSION SUSPENDED AT 07:58:56 ON 26 NOV 2007

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS Web Page for STN Seminar Schedule - N. America NEWS 2 JUL 02 LMEDLINE coverage updated NEWS 3 JUL 02 SCISEARCH enhanced with complete author names JUL 02 CHEMCATS accession numbers revised NEWS 4 JUL 02 CA/CAplus enhanced with utility model patents from China NEWS 5 JUL 16 CAplus enhanced with French and German abstracts NEWS 6 NEWS 7 JUL 18 CA/CAplus patent coverage enhanced JUL 26 USPATFULL/USPAT2 enhanced with IPC reclassification NEWS 8 JUL 30 USGENE now available on STN NEWS 9 NEWS 10 AUG 06 CAS REGISTRY enhanced with new experimental property tags NEWS 11 AUG 06 FSTA enhanced with new thesaurus edition NEWS 12 AUG 13 CA/CAplus enhanced with additional kind codes for granted patents AUG 20 NEWS 13 CA/CAplus enhanced with CAS indexing in pre-1907 records NEWS 14 AUG 27

Welcome to STN International

Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB NEWS 15 AUG 27 USPATOLD now available on STN

CAS REGISTRY enhanced with additional experimental NEWS 16 AUG 28 spectral property data

NEWS 17 SEP 07 STN AnaVist, Version 2.0, now available with Derwent World Patents Index

NEWS 18 SEP 13 FORIS renamed to SOFIS

NEWS 19 INPADOCDB enhanced with monthly SDI frequency SEP 13

NEWS 20 SEP 17 CA/CAplus enhanced with printed CA page images from 1967-1998

NEWS 21 SEP 17 CAplus coverage extended to include traditional medicine